


Комплектация




I-1100 Максимум 80кг

Art.2180/A/1095


Art.707/A/950




Art.2183



Art.2179-03 n°3



Ar t.2179-02 n°3



Ar t.2179-01 n°3



FISHER
SX5 n°2



3,9x19 n°4



Art.538




FISHER
UX6 n°3




4,5x40 n°3



3,5x20 n°30



Art.2182



Art.2184



4x30 n°2



Art.57




Art.2188



Art.2187



Art.2189/10



Art.2186/A



Art.2186/N


I-1800 Максимум 80кг

Art.2180/A/1795


Art.707/A/1650




Art.2183



Art.2179-03 n°3



Ar t.2179-02 n°3



Ar t.2179-01 n°3



FISHER
SX5 n°2



3,9x19 n°4



Art.538




FISHER
UX6 n°3




4,5x40 n°3



3,5x20 n°30



Art.2182



Art.2184



4x30 n°2



Art.57




Art.2188



Art.2187




Art.2189/10




Art.2186/A






Art.2186/N




Подгонка направляющих профилей







Левостороннее
открывание





Правостороннее
открывание





ART. I-1100
X= MIN.800 (L=900)
X= MAX.1000 (L=1100)


ART. I-1800
X= MIN.800 (L=900)
X=MIN.1700 (L=1800)




Вариант установки - полное открытие



Установка двери




Регулировка по высоте




Активация блокировки зацепа



Активация доводчиков




Активация доводчиков




Доводчик


Распорная втулка



Выбор монтажных пластин различной толщины в зависимости от толщины стены



3mm



2mm



1mm

